



Headquarters  
P.O. Box 3000  
Johnstown Castle Estate  
County Wexford  
Ireland

**WASTE LICENCE**  
**Recommended Decision**

<b>Licence Register Number:</b>	W0242-01
<b>Applicant:</b>	Padraic Thornton Waste Disposal Limited (Trading as Thorntons Recycling)
<b>Location of Facility:</b>	Thorntons Recycling Centre Millennium Business Park Cappagh Road Townland of Grange Dublin 11

## ***INTRODUCTION***

This introduction is not part of the licence and does not purport to be a legal interpretation of the licence.

This licence sets out the conditions for the operation of a Materials Recovery Facility for non-hazardous waste located at Millennium Business Park, Cappagh Road, Grange, Dublin 11.

The licence limits the total quantity of waste to be accepted at the facility to 100,000 tonnes per annum, comprising 50,000 tonnes of construction & demolition waste and 50,000 tonnes of dry recyclable waste. Construction and demolition waste will be mechanically and manually separated into various grades of aggregates, soils, metal and timber for re-use. Dry recyclable waste will be mechanically and manually segregated into paper, card, metals and plastics and baled/compacted prior to removal off-site for recovery.

The licence authorises waste acceptance at the facility on a 24-hour basis, Monday to Sunday, inclusive of Public Holidays. Waste processing (sorting, mixing, etc.) is limited to 07:00 to 22:00 Monday to Saturday inclusive.

The licensee must manage and operate the facility to ensure that the activities do not cause environmental pollution. The licensee is required to carry out regular environmental monitoring and submit all monitoring results, and a wide range of reports on the operation and management of the facility, to the Agency.

The licence sets out in detail the conditions under which Padraic Thornton Waste Disposal Limited (trading as Thorntons Recycling) will operate and manage this facility.

## *Glossary of Terms*

All terms in this licence should be interpreted in accordance with the definitions in the Environmental Protection Agency Acts 1992 to 2007 / Waste Management Acts 1996 to 2008, unless otherwise defined in the section.

<b>Adequate lighting</b>	20 lux measured at ground level.
<b>AER</b>	Annual Environmental Report.
<b>Agreement</b>	Agreement in writing.
<b>Annually</b>	At approximately twelve-monthly intervals.
<b>Application</b>	The application by the licensee for this licence.
<b>Appropriate Facility</b>	A waste management facility, duly authorised under relevant law and technically suitable.
<b>Attachment</b>	Any reference to Attachments in this licence refers to attachments submitted as part of this licence application.
<b>BAT</b>	Best Available Techniques.
<b>Biannually</b>	All or part of a period of six consecutive months.
<b>Biennially</b>	Once every two years.
<b>BOD</b>	5 day Biochemical Oxygen Demand.
<b>CEN</b>	Comité Européen De Normalisation – European Committee for Standardisation.
<b>COD</b>	Chemical Oxygen Demand.
<b>Commercial Waste</b>	As defined in Section 5(1) of the Waste Management Acts 1996 to 2008.
<b>Construction and demolition (C&amp;D) waste</b>	Wastes that arise from construction, renovation and demolition activities: Chapter 17 of the EWC or as otherwise may be agreed.
<b>Containment boom</b>	A boom that can contain spillages and prevent them from entering drains or watercourses or from further contaminating watercourses.
<b>Daily</b>	During all days of plant operation and, in the case of emissions, when emissions are taking place; with at least one measurement on any one day.
<b>Day</b>	Any 24 hour period.

## **Table of Contents**

	<b>Page No</b>
Glossary of Terms .....	1
Decision & Reasons for the Decision.....	6
Part I Scheduled of Activities Licensed .....	6
Part II Schedule of Activities Refused .....	6
Part III Conditions.....	7
Condition 1.    Scope.....	7
Condition 2.    Management of the Facility .....	8
Condition 3.    Infrastructure and Operation .....	10
Condition 4.    Interpretation.....	13
Condition 5.    Emissions .....	14
Condition 6.    Control and Monitoring .....	15
Condition 7.    Resource Use and Energy Efficiency.....	17
Condition 8.    Materials Handling.....	18
Condition 9.    Accident Prevention and Emergency Response .....	19
Condition 10.    Decommissioning & Residuals Management .....	20
Condition 11.    Notification, Records and Reports .....	21
Condition 12.    Financial Charges and Provisions .....	23
SCHEDULE A:    Limitations .....	25
SCHEDULE B:    Emission Limits .....	25
SCHEDULE C:    Control & Monitoring .....	266
SCHEDULE D:    Specified Engineering Works .....	29
SCHEDULE E:    Reporting.....	29
SCHEDULE F:    Annual Environmental Report.....	30

<b>Daytime</b>	0800 hrs to 2200 hrs.
<b>dB(A)</b>	Decibels (A weighted).
<b>DO</b>	Dissolved oxygen.
<b>Documentation</b>	Any report, record, results, data, drawing, proposal, interpretation or other document in written or electronic form which is required by this licence.
<b>Drawing</b>	Any reference to a drawing or drawing number means a drawing or drawing number contained in the application, unless otherwise specified in this licence.
<b>Emission</b>	As defined in Section 3(1) of the Environmental Protection Agency Acts 1992 to 2007.
<b>EMP</b>	Environmental Management Programme.
<b>Emission limits</b>	Those limits, including concentration limits and deposition rates, established in <i>Schedule B: Emission Limits</i> of this licence.
<b>Environmental damage</b>	As defined in Directive 2004/35/EC.
<b>EPA</b>	Environmental Protection Agency.
<b>European Waste Catalogue (EWC)</b>	A harmonised, non-exhaustive list of wastes drawn up by the European Commission and published as Commission Decision 2000/532/EC and any subsequent amendment published in the Official Journal of the European Community.
<b>Facility</b>	Any site or premises used for the purpose of the recovery of disposal of waste.
<b>Fortnightly</b>	A minimum of 24 times per year, at approximately two week intervals.
<b>Heavy metals</b>	This term is to be interpreted as set out in "Parameters of Water Quality, Interpretation and Standards" published by the Agency in 2001. ISBN 1-84095-015-3.
<b>Hours of operation</b>	The hours during which the facility is authorised to be operational.
<b>Hours of waste acceptance</b>	The hours during which the facility is authorised to accept waste.
<b>Incident</b>	The following shall constitute an incident for the purposes of this licence: <ul style="list-style-type: none"><li>(i) an emergency;</li><li>(ii) any emission which does not comply with the requirements of this licence;</li><li>(iii) any exceedance of the daily duty capacity of the waste handling</li></ul>

	equipment;
	(iv) any trigger level specified in this licence which is attained or exceeded; and,
	(v) any indication that environmental pollution has, or may have, taken place.
<b>Industrial waste</b>	As defined in Section 5(1) of the Waste Management Act 1996 to 2008.
<b>Inert waste</b>	Waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular must not endanger the quality of surface water and/or groundwater.
<b>IPPC</b>	Integrated Pollution Prevention & Control.
<b>Landfill Directive</b>	Council Directive 1999/31/EC.
<b>L<sub>eq</sub></b>	Equivalent continuous sound level.
<b>Licence</b>	A Waste Licence issued in accordance with the Waste Management Acts 1996 to 2008.
<b>Licensee</b>	<b>Padraic Thornton Waste Disposal Limited (trading as Thorntons Recycling), Unit S3B, Henry Road, Parkwest Business Park, Dublin 12.</b>
<b>Liquid waste</b>	Any waste in liquid form and containing less than 2% dry matter.
<b>List I</b>	As listed in the EC Directives 76/464/EEC and 80/68/EEC and amendments.
<b>List II</b>	As listed in the EC Directives 76/464/EEC and 80/68/EEC and amendments
<b>Local Authority</b>	Fingal County Council.
<b>Maintain</b>	Keep in a fit state, including such regular inspection, servicing, calibration and repair as may be necessary to perform its function adequately.
<b>Materials Recovery Facility</b>	<b>A facility where recyclable materials are sorted into specific categories and processed, or further transported to processors for remanufacturing.</b>
<b>Mobile plant</b>	Self-propelled machinery used for the emplacement of wastes or for the construction of specified engineering works.
<b>Monthly</b>	A minimum of 12 times per year, at intervals of approximately one month.
<b>Municipal waste</b>	As defined in Section 5(1) of the Waste Management Acts 1996 to 2008.

<b>Night-time</b>	2200 hrs to 0800 hrs.
<b>Noise-sensitive location (NSL)</b>	Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other facility or area of high amenity which for its proper enjoyment requires the absence of noise at nuisance levels.
<b>Oil separator</b>	Device installed according to the International Standard I.S. EN 858-2:2003 (Separator system for light liquids, (e.g. oil and petrol) – Part 2: Selection of normal size, installation, operation and maintenance).
<b>PRTR</b>	Pollutant Release and Transfer Register.
<b>Quarterly</b>	All or part of a period of three consecutive months beginning on the first day of January, April, July or October.
<b>Recyclable materials</b>	Those waste types, such as cardboard, batteries, gas cylinders etc, that may be recycled.
<b>Regional Fisheries Board</b>	Eastern Regional Fisheries Board.
<b>Sample(s)</b>	Unless the context of this licence indicates to the contrary, the term samples shall include measurements taken by electronic instruments.
<b>Sanitary effluent</b>	Wastewater from facility toilet, washroom and canteen facilities.
<b>SOP</b>	Standard operating procedure.
<b>Source segregated waste</b>	Waste which is separated at source; meaning that the waste is sorted at the point of generation into a recyclable fraction(s) for separate collection (e.g., paper, metal, glass, plastic, bulk dry recyclables, biodegradables, etc.) and a residual fraction. The expression 'separate at source' shall be construed accordingly.
<b>Specified emissions</b>	Those emissions listed in <i>Schedule B: Emission Limits</i> of this licence.
<b>Specified Engineering Works</b>	Engineering works listed in <i>Schedule D: Specified Engineering Works</i> of this licence.
<b>Standard method</b>	A National, European or internationally recognised procedure (e.g. I.S. EN, ISO, CEN, BS or equivalent); or an in-house documented procedure based on the above references; a procedure as detailed in the current edition of "Standard Methods for the Examination of Water and Wastewater" (prepared and published jointly by A.P.H.A., A.W.W.A. & W.E.F.), American Public Health Association, 1015 Fifteenth Street, N.W., Washington DC 20005, USA; or an alternative method as may be agreed by the Agency.
<b>Storm water</b>	Rain water run-off from roof and non-process areas.
<b>The Agency</b>	Environmental Protection Agency.

<b>Temporary storage</b>	In relation to waste is a period of less than six months as defined in the Waste Management Acts 1996 to 2008.
<b>TOC</b>	Total organic carbon.
<b>Trade effluent</b>	Trade effluent has the meaning given in the Water Services Act, 2007.
<b>Trigger level</b>	A parameter value, the achievement or exceedance of which requires certain actions to be taken by the licensee.
<b>Water Services Authority</b>	Fingal County Council.
<b>WEEE</b>	As defined in S.I. No. 340 of 2005.
<b>Weekly</b>	During all weeks of plant operation and, in the case of emissions, when emissions are taking place; with at least one measurement in any one week.
<b>WWTP</b>	Waste water treatment plant.



## ***Decision & Reasons for the Decision***

The Environmental Protection Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of this licence, any emissions from the activity will comply with and will not contravene any of the requirements of Section 40(4) of the Waste Management Acts 1996 to 2008.

In reaching this decision the Environmental Protection Agency has considered the application and supporting documentation received from the applicant and the report of its inspector.

### ***Part I Schedule of Activities Licensed***

In pursuance of the powers conferred on it by the Waste Management Acts 1996 to 2008, the Environmental Protection Agency (the Agency) proposes, under Section 40(1) of the said Acts to grant this Waste Licence to Padraic Thornton Waste Disposal Limited (Trading as Thorntons Recycling), Unit S3B, Henry Road, Parkwest Business Park, Dublin 12 to carry on the waste activities listed below at Thorntons Recycling Centre, Millennium Business Park, Cappagh Road, Townland of Grange, Dublin 11 subject to conditions, with the reasons therefor and the associated schedules attached thereto set out in the licence.

#### **Licensed Waste Disposal Activities, in accordance with the Third Schedule of the Waste Management Acts 1996 to 2008**

<b>Class 11.</b>	Blending or mixture prior to submission to any activity referred to in a preceding paragraph of this Schedule.
<b>Class 12.</b>	Repacking prior to submission to any activity referred to in a preceding paragraph of this Schedule.
<b>Class 13.</b>	Storage prior to submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where the waste concerned is produced.

#### **Licensed Waste Recovery Activities, in accordance with the Fourth Schedule of the Waste Management Acts 1996 to 2008**

<b>Class 2.</b>	Recycling or reclamation of organic substances which are not used as solvents (including composting and other biological processes).
<b>Class 3.</b>	Recycling or reclamation of metals and metal compounds.
<b>Class 4.</b>	Recycling or reclamation of other inorganic materials.
<b>Class 13.</b>	Storage of waste intended for submission to any activity referred to in a preceding paragraph of this Schedule, other than temporary storage, pending collection, on the premises where such waste is produced. [Principal Activity]

### ***Part II Schedule of Activities Refused***

None of the proposed activities as set out in the licence application have been refused.

## ***Part III Conditions***

### **Condition 1. Scope**

- 1.1 Waste activities at this facility shall be restricted to those listed and described in *Part I Schedule of Activities Licensed*, and shall be as set out in the licence application or as modified under Condition 1.5 of this licence and subject to the conditions of this licence.
- 1.2 Activities at this facility shall be limited as set out in *Schedule A: Limitations* of this licence.
- 1.3 The facility shall be controlled, operated and maintained and emissions shall take place as set out in the licence. All programmes required to be carried out under the terms of this licence become part of this licence.
- 1.4 For the purposes of this licence, the facility authorised by this licence is the area of land outlined in red on **Drawing No. DE07-046-02-002 'Waste Licence Application Site Plan'** of the application. Any reference in this licence to "facility" shall mean the area thus outlined in red. The licensed activities shall be carried on only within the area outlined.
- 1.5 No alteration to, or reconstruction in respect of, the activity, or any part thereof, that would, or is likely to, result in
- (i) a material change or increase in:
    - The nature or quantity of any emission
    - The abatement/treatment or recovery systems
    - The range of processes to be carried out
    - The fuels, raw materials, intermediates, products or wastes generated, or
  - (ii) any changes in:
    - Site management, infrastructure or control with adverse environmental significance.
- shall be carried out or commenced without prior notice to, and without the agreement of, the Agency.
- 1.6 This licence is for purposes of waste licensing under the Waste Management Acts 1996 to 2008 only and nothing in this licence shall be construed as negating the licensee's statutory obligations, or requirements under any other enactments or regulations.
- 1.7 Waste Acceptance Hours and Hours of Operation**
- 1.7.1 **Waste may be accepted at, and dispatched from, the facility 24 hours a day, Monday to Sunday inclusive.**
- 1.7.2 **Waste processing shall take place at the facility between the hours of 07.00 and 22.00, Monday to Saturday inclusive.**

**Reason:** *To clarify the scope of this licence.*

## Condition 2. Management of the Facility

### 2.1 Facility Management

- 2.1.1 Prior to the acceptance of waste at the facility, the licensee shall employ a suitable qualified and experienced facility manager who shall be designated as the person in charge. The facility manager or a nominated, suitably qualified and experienced deputy shall be present on the facility at all times during its operation or as otherwise required by the Agency.
- 2.1.2 Prior to the acceptance of waste at the facility, the licensee shall ensure that personnel performing specifically assigned tasks shall be qualified on the basis of appropriate education, training and experience as required and shall be aware of the requirements of this licence. In addition, the facility manager and his/her deputy shall successfully complete FAS waste management training programme or equivalent agreed by the Agency.

### 2.2 Environmental Management System (EMS)

- 2.2.1 The licensee shall establish and maintain an Environmental Management System (EMS) in advance of the commencement of waste activities. The EMS shall be updated on an annual basis.
- 2.2.2 The EMS shall include, as a minimum, the following elements:

2.2.2.1 Management and Reporting Structure.

2.2.2.2 Schedule of Environmental Objectives and Targets.

The licensee shall prepare and maintain a Schedule of Environmental Objectives and Targets. The schedule shall, as a minimum, provide for a review of all operations and processes, including an evaluation of practicable options, for energy and resource efficiency, the use of cleaner technology, cleaner processing, and the prevention, reduction and minimisation of waste for disposal. The schedule shall include time frames for the achievement of set targets and shall address a five-year period as a minimum. The schedule shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER).

2.2.2.3 Environmental Management Programme (EMP)

The licensee shall, in advance of the commencement of waste activities, submit to the Agency for agreement an EMP, including a time schedule, for achieving the Environmental Objectives and Targets prepared under Condition 2.2.2.2. Once agreed the EMP shall be established and maintained by the licensee. It shall include:

- designation of responsibility for targets;
- the means by which they may be achieved;
- the time within which they may be achieved.

The EMP shall be reviewed annually and amendments thereto notified to the Agency for agreement as part of the Annual Environmental Report (AER).

A report on the programme, including the success in meeting agreed targets, shall be prepared and submitted to the Agency as part of the AER. Such reports shall be retained on-site for a period of not less than seven years and shall be available for inspection by authorised persons of the Agency.

2.2.2.4 Documentation

- (i) The licensee shall establish and maintain an environmental management documentation system which shall be to the satisfaction of the Agency.
- (ii) The licensee shall issue a copy of this licence to all relevant personnel whose duties relate to any condition of this licence.

2.2.2.5 Corrective Action

The licensee shall establish procedures to ensure that corrective action is taken should the specified requirements of this licence not be fulfilled. The responsibility and authority for persons initiating further investigation and corrective action in the event of a reported non-conformity with this licence shall be defined.

2.2.2.6 Awareness and Training

The licensee shall establish and procedures for identifying training needs, and for providing appropriate training, for all personnel whose work can have a significant effect upon the environment. Appropriate records of training shall be maintained.

2.2.2.7 Communications Programme

The licensee shall establish and maintain a Public Awareness and Communications Programme to ensure that members of the public can obtain information at the facility, at all reasonable times, concerning the environmental performance of the facility.

2.2.2.8 Maintenance Programme

The licensee shall establish and maintain a structured programme for maintenance and service of vehicles and equipment. This programme shall be supported by appropriate record-keeping systems and diagnostic testing.

2.2.2.9 Efficient Process Control

The licensee shall establish and maintain a programme to ensure there is adequate control of processes under all modes of operation. The programme shall identify the key indicator parameters for process control performance, as well as identifying methods for measuring and controlling these parameters. Abnormal process operating conditions shall be documented, and analysed to identify any necessary corrective action.

**Reason:** *To make provision for management of the activity on a planned basis having regard to the desirability of ongoing assessment, recording and reporting of matters affecting the environment.*

### Condition 3. Infrastructure and Operation

- 3.1 The licensee shall establish and maintain, for each component of the facility, all infrastructure referred to in this licence in advance of the commencement of the licensed activities in that component, or as required by the conditions of this licence. Infrastructure specified in the application that relates to the environmental performance of the installation and is not specified in the licence, shall be installed in accordance with the schedule submitted in the application.
- 3.2 Facility Notice Board
- 3.2.1 The licensee shall, in advance of the commencement of waste activities, provide and maintain a Facility Notice Board on the facility so that it is legible to persons outside the main entrance to the facility. The minimum dimensions of the board shall be 1200 mm by 750 mm. The notice board shall be maintained thereafter.
- 3.2.2 The board shall clearly show:
- (i) the name and telephone number of the facility;
  - (ii) the normal hours of opening;
  - (iii) the name of the licence holder;
  - (iv) an emergency out of hours contact telephone number;
  - (v) the licence reference number; and
  - (vi) where environmental information relating to the facility can be obtained.
- 3.2.3 A plan of the facility clearly identifying the location of each storage and treatment area shall be displayed as close as is possible to the entrance to the facility. The plan shall be displayed on a durable material such that it is legible at all times. The plan shall be replaced as material changes to the facility are made.
- 3.3 The licensee shall install on all emission points such sampling points or equipment, including any data-logging or other electronic communication equipment, as may be required by the Agency. All such equipment shall be consistent with the safe operation of all sampling and monitoring systems.
- 3.4 The licensee shall clearly label and provide safe and permanent access to all on-site sampling and monitoring points and to off-site points as required by the Agency.
- 3.5 Tank, Container and Drum Storage Areas
- 3.5.1 All tank, container and drum storage areas shall be rendered impervious to the materials stored therein. Bunds shall be designed having regard to Agency guidelines 'Storage and Transfer of Materials for Scheduled Activities' (2004).
- 3.5.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:
- (i) 110% of the capacity of the largest tank or drum within the bunded area; or
  - (ii) 25% of the total volume of substance that could be stored within the bunded area.
- 3.5.3 All drainage from bunded areas shall be treated as hazardous waste unless it can be demonstrated to be otherwise. All drainage from bunded areas shall be diverted for collection and safe disposal.
- 3.5.4 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.
- 3.5.5 All tanks, containers and drums shall be labelled to clearly indicate their contents.

- 3.6 The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the facility. Once used, the absorbent material shall be disposed of at an appropriate facility.
- 3.7 The licensee shall install and maintain silt traps and oil separators at the facility to ensure that **all storm water and trade effluent discharges from the facility pass through a silt trap and oil separator in advance of discharge.** The separators shall be Class I full retention separators and the silt traps and separators shall be in accordance with I.S. EN-858-2: 2008 (separator systems for light liquids).
- 3.8 Fire-water Retention
- 3.8.1 **Prior to the acceptance of waste at the facility, the licensee shall install a fire-water retention facility to prevent the release of contaminated fire-water from the site.**
- 3.8.2 **Prior to the acceptance of waste at the facility, the licensee shall prepare and implement, with the agreement of the Agency, a suitable fire-water retention risk management programme.**
- 3.8.3 The licensee shall have regard to the Environmental Protection Agency Draft Guidance Note to Industry on the Requirements for Fire-Water Retention Facilities when implementing Conditions 3.8.1 & 3.8.2 above.
- 3.9 In advance of the commencement of waste activities, all pumps sumps and storage tanks from which spillage of environmentally significant materials might occur in such quantities as are likely to breach local or remote containment or separators, shall be fitted with high liquid level alarms (or oil detectors as appropriate).
- 3.10 The provision of a catchment system to collect any leaks from flanges and valves of all over-ground pipes used to transport material other than water shall be examined. This shall be incorporated into a Schedule of Environmental Objectives and Targets set out in Condition 2.2.2.2. of this licence for the reduction in fugitive emissions.
- 3.11 All wellheads shall be adequately protected to prevent contamination or physical damage within three months from the date of grant of this licence.
- 3.12 In advance of the commencement of waste activities, the licensee shall install in a prominent location on the site a wind sock, or other wind direction indicator, which shall be visible from the public roadway outside the site.
- 3.13 Facility Security
- 3.13.1 Security fencing and gates shall be installed and maintained. The base of the fencing shall be set in the ground.
- 3.13.2 The licensee shall install a CCTV system which records all truck movement into and out of the facility; the CCTV system shall be operated at all times and copies of recording kept on site and made available to the Agency on request.
- 3.13.3 Gates shall be locked shut when the facility is unsupervised.
- 3.13.4 The licensee shall remedy any defect in the gates and/or fencing as follows:
- (i) A temporary repair shall be made by the end of the working day; and
  - (ii) A repair to the standard of the original gates and/or fencing shall be undertaken within three working days.
- 3.14 Facility Roads and Site Surfaces
- 3.14.1 Effective site roads shall be provided and maintained to ensure the safe and nuisance-free movement of vehicles within the facility.
- 3.14.2 The licensee shall provide and maintain an impermeable concrete surface in all areas of the facility. The surfaces shall be concreted and constructed to British Standard

8110 or an alternative as agreed by the Agency. The licensee shall remedy any defect in concrete surfaces within five working days.

3.15 Facility Office

3.15.1 The licensee shall provide and maintain an office at the facility. The office shall be constructed and maintained in a manner suitable for the processing and storing of documentation.

3.15.2 The licensee shall provide and maintain a working telephone and a method for electronic transfer of information at the facility.

3.16 Waste Inspection and Quarantine Areas

3.16.1 A Waste Inspection Area and a Waste Quarantine Area shall be provided and maintained at the facility.

3.16.2 These areas shall be constructed and maintained in a manner suitable, and be of a size appropriate, for the inspection of waste and subsequent quarantine if required. The waste inspection area and the waste quarantine area shall be clearly identified and segregated from each other.

3.16.3 Drainage from these areas shall be directed to the foul sewer drainage system.

3.17 Weighbridge & Truck Wash

3.17.1 **The licensee shall provide and maintain a functioning weighbridge at the facility. The tonnages of all waste deliveries to, and dispatches from, the facilities should be recorded by the weighbridge system (See also condition 11.11).**

3.17.2 The licensee shall provide a truck wash at the facility and any drainage from this area shall be directed to the foul sewer drainage system.

3.17.3 The truck wash shall be inspected on a daily basis and drained as required. Silt, stones and other accumulated material shall be removed as required and disposed of appropriately.

3.18 Waste handling, ventilation and processing plant

3.18.1 Items of plant deemed critical to the efficient and adequate processing of waste at the facility (including *inter alia* waste-loading vehicles and ejector trailers) shall be provided on the following basis:

(i) 100% duty capacity;

(ii) 20% standby capacity available on a routine basis; and

(iii) Provision of contingency arrangements and/or backup and spares in the case of breakdown of critical equipment.

3.18.2 The licensee shall, in advance of the commencement of waste activities, provide a report for the agreement of the Agency detailing the duty and standby capacity in tonnes per day, of all waste handling and processing equipment to be used at the facility. These capacities shall be based on the licensed waste intake, as per *Schedule A: Limitations*, of this licence.

3.18.3 The quantity of waste to be accepted at the facility on a daily basis shall not exceed the duty capacity of the equipment at the facility. Any exceedance of this intake shall be treated as an incident.

3.19 Dust and Odour Control

3.19.1 The licensee shall, in advance of the commencement of waste activities, install and provide adequate measures for the control of odours and dust emissions, including fugitive dust emissions, from the facility.

3.19.2 Dust curtains (or equivalent approved by the Agency) shall be maintained on the entry/exit points from the materials recovery building; all other doors in this building shall be kept closed where possible.

- 3.19.3 **Dust collection and filtration shall be placed on waste processing equipment that has the potential to generate dust. Air extracted from the processing equipment shall be conveyed to atmosphere via a bag filtration system.**
- 3.19.4 Provision of 100% duty capacity and 20% standby capacity, backups and spares must be provided for any air handling, ventilation and abatement plant.
- 3.20 Specified Engineering Works
- 3.20.1 The licensee shall submit proposals for all Specified Engineering Works, as defined in *Schedule D: Specified Engineering Works*, of this licence, to the Agency for its agreement at least two months in advance of the intended date of commencement of any such works. No such works shall be carried out without the prior agreement of the Agency.
- 3.20.2 All specified engineering works shall be supervised by a competent person(s) and that person, or persons, shall be present at all times during which relevant works are being undertaken.
- 3.20.3 Following the completion of all specified engineering works, the licensee shall complete a construction quality assurance validation. The validation report shall be made available to the Agency on request. The report shall, as appropriate, include the following information:
- (i) A description of the works;
  - (ii) As-built drawings of the works;
  - (iii) Any other information requested in writing by the Agency.

**Reason:** *To provide for appropriate operation of the facility to ensure protection of the environment.*

## Condition 4. Interpretation

- 4.1 Emission limit values for emissions to sewer in this licence shall be interpreted in the following way:
- 4.1.1 For continuous monitoring, no flow value shall exceed the specific limit.
  - 4.1.2 For discrete sampling, no grab sample value shall exceed 1.2 times the emission limit value (for parameters other than pH and temperature).
- 4.2 Where the ability to measure a parameter is affected by mixing before emission, then, with agreement from the Agency, the parameter may be assessed before mixing takes place.
- 4.3 Noise from the facility shall not give rise to sound pressure levels (Leq, T) measured at the boundary of the facility which exceed the limit values.
- 4.4 Dust and particulate matter from the activity shall not give rise to deposition levels which exceed the limit value(s).

**Reason:** *To clarify the interpretation of limit values fixed under the licence.*



## Condition 5. Emissions

- 5.1 No specified emission from the facility shall exceed the emission limit values set out in *Schedule B: Emission Limits* of this licence. There shall be no other emissions of environmental significance.
- 5.2 No emissions, including odours, from the activities carried on at the site shall result in an impairment of, or an interference with amenities or the environment beyond the facility boundary or any other legitimate uses of the environment beyond the facility boundary.
- 5.3 The licensee shall ensure that all or any of the following:
- Vermin
  - Birds
  - Flies
  - Mud
  - Dust
  - Litter

associated with the activity do not result in an impairment of, or an interference with, amenities or the environment at the facility or beyond the facility boundary or any other legitimate uses of the environment beyond the facility boundary. Any method used by the licensee to control or prevent any such impairment/interference shall not cause environmental pollution.

- 5.4 No trade effluent, leachate and/or contaminated storm water shall be discharged to surface water drains.
- 5.5 There shall be no direct emissions to groundwater.

### 5.6 Emissions to Sewer

- 5.6.1 The licensee shall permit authorised persons of the Agency and the Water Services Authority to inspect, examine and test, at all reasonable times, any works and apparatus installed, in connection with the process effluent and to take samples of the emissions to sewer.
- 5.6.2 The licensee shall at no time discharge or permit to be discharged into the sewer any liquid matter or thing, which is, or may be liable to set or congeal at average sewer temperature or is capable of giving off any inflammable or explosive gas or any acid, alkali or other substance in sufficient concentration to cause corrosion to sewer pipes, penstock and sewer fittings or the general integrity of the sewer.
- 5.6.3 Non-trade effluent wastewater (e.g. firewater, accidental spillages) which occurs on site shall not be discharged to the sewer without the prior authorisation of the Water Services Authority.
- 5.6.4 No emission to sewer shall take place which gives rise to any reaction within the sewer or to the liberation of by-products which may be of environmental significance.
- 5.6.5 No substance shall be present in such concentrations as would constitute a danger to sewer maintenance personnel working in the sewerage system or would be damaging to the fabric of the sewer, or would interfere with the biological functioning of the downstream receiving wastewater treatment plant.
- 5.6.6 Materials classified as "Hazardous Wastes" under the Waste Management Acts, 1996 to 2008, shall not be discharged to sewer.
- 5.6.7 Effluent shall be screened prior to discharge to remove gross solids and avoid blockages in the sewer.

**Reason:** *To provide for the protection of the environment by way of control and limitation of emissions and to provide for the requirements of the Water Services Authority in accordance with Section 52 of the Waste Management Acts 1996 to 2008.*

## **Condition 6. Control and Monitoring**

- 6.1 The licensee shall carry out such sampling, analyses, measurements, examinations, maintenance and calibrations as set out below and as in accordance with *Schedule C: Control & Monitoring* of this licence:
- 6.1.1 Analyses shall be undertaken by competent staff in accordance with documented operating procedures;
- 6.1.2 Such procedures shall be assessed for their suitability for the test matrix and performance characteristics shall be determined;
- 6.1.3 Such procedures shall be subject to a programme of Analytical Quality Control using control standards with evaluation of test responses;
- 6.1.4 Where any analysis is sub-contracted it shall be to a competent laboratory.
- 6.2 The licensee shall ensure that:
- (i) sampling and analysis for all parameters listed in the Schedules to this licence, and
- (iii) any reference measurements for the calibration of automated measurement systems, shall be carried out in accordance with CEN-standards. If CEN standards are not available, ISO, national or international standards that will ensure the provision of data of an equivalent scientific quality shall apply.
- 6.3 All automatic monitors and samplers shall be functioning at all times (except during maintenance and calibration) when the activity is being carried on unless alternative sampling or monitoring has been agreed in writing by the Agency for a limited period. In the event of the malfunction of any continuous monitor, the licensee shall contact the Agency as soon as practicable, and alternative sampling and monitoring facilities shall be put in place. The use of alternative equipment, other than in emergency situations, shall be as agreed by the Agency.
- 6.4 Monitoring and analysis equipment shall be operated and maintained as necessary so that monitoring accurately reflects the emission/discharge (or ambient conditions where that is the monitoring objective).
- 6.5 All treatment/abatement and emission control equipment shall be calibrated and maintained in accordance with the instructions issued by the manufacturer/supplier or installer.
- 6.6 The frequency, methods and scope of monitoring, sampling and analyses, as set out in this licence, may be amended with the agreement of the Agency following evaluation of test results.
- 6.7 The licensee shall prepare a programme, to the satisfaction of the Agency, for the identification and reduction of fugitive emissions using an appropriate combination of best available techniques. This programme shall be included in the Environmental Management Programme.
- 6.8 The integrity and water tightness of all tanks, bunding structures, containers and underground pipes and their resistance to penetration by water or other materials carried or stored therein shall be tested and demonstrated by the licensee prior to use. This testing shall be carried out by the licensee at least once every three years thereafter and reported to the Agency on each occasion. This testing shall be carried out in accordance with any guidance published by the Agency. A written record of all integrity tests and any maintenance or remedial work arising from them shall be maintained by the licensee.

- 6.9 The drainage system (i.e. gullies, manholes, any visible drainage conduits and such other aspects as may be agreed) and bunds, silt traps and oil separators shall be inspected weekly and desludged as necessary. All sludge and drainage from these operations shall be collected for safe disposal. The drainage system, bunds, silt traps and oil separators shall be properly maintained at all times.
- 6.10 An inspection for leaks on all flanges and valves on over-ground pipes used to transport materials other than water shall be carried out weekly. A log of such inspections shall be maintained.
- 6.11 A visual examination of the storm water discharges shall be carried out daily. A log of such inspections shall be maintained.
- 6.12 Noise
- The licensee shall carry out a noise survey of the site operations annually. The survey programme shall be undertaken in accordance with the methodology specified in the 'Environmental Noise Survey Guidance Document' as published by the Agency.
- 6.13 Pollutant Release and Transfer Register (PRTR)
- The licensee shall prepare and report a PRTR for the site. The substances and/or wastes to be included in the PRTR shall be as agreed by the Agency each year by reference to EC Regulations No. 166/2006 concerning the establishment of the European Pollutant Release and Transfer Register and amending Council Directives 91/689/EEC and 96/61/EC. The PRTR shall be prepared in accordance with any relevant guidelines issued by the Agency and shall be submitted electronically in specified format and as part of the AER.
- 6.14 The licensee shall, in advance of the commencement of waste activities, develop and establish a Data Management System for collation, archiving, assessing and graphically presenting the monitoring data generated as a result of this licence.
- 6.15 Litter Control
- 6.15.1 All loose litter or other waste, placed on or in the vicinity of the facility, other than in accordance with the requirements of this licence, shall be removed, subject to the agreement of the landowners, immediately and in any event by 10.00 am of the next working day after such waste is discovered.
- 6.15.2 The licensee shall ensure that all vehicles delivering waste to and removing waste and materials from the facility are appropriately covered.
- 6.16 Dust and Odour Control
- 6.16.1 All waste for disposal stored overnight at the facility shall be stored in suitably covered and enclosed containers, and shall be removed from the facility within 48 hours, except at Public Holiday weekends. At Public Holiday weekends, waste for disposal shall be removed within 72 hours of its arrival on site.
- 6.16.2 In dry weather, site roads and any other areas used by vehicles shall be sprayed with water as and when required to minimise airborne dust nuisance.
- 6.17 Operational Controls
- 6.17.1 **The floor of the materials intake areas shall be cleared of all waste by 22.00 hours each day.**
- 6.17.2 **The floor of the materials recovery building shall be cleaned, as a minimum, on a weekly basis.**
- 6.17.3 **The floor of the storage bays for recovered wastes shall be washed down and cleaned on each occasion such bays are emptied.**
- 6.17.4 Scavenging shall not be permitted at the facility.
- 6.17.5 All tanks and drums shall be labelled to clearly indicate their contents.

6.17.6 There shall be no unauthorised public access to the facility.

6.17.7 The licensee shall provide and use adequate lighting during the operation of the facility in hours of darkness.

6.18 Nuisance Monitoring

The licensee shall, at a minimum of one week intervals, inspect the facility and its immediate surrounds for nuisances caused by litter, vermin, birds, flies, mud, dust and odours. The licensee shall maintain a record of all nuisance inspections.

6.19 Vermin and Flies

In advance of the commencement of waste activities, the licensee shall establish and maintain a programme for the control and eradication of vermin and fly infestations at the facility. The programme should include as a minimum, operator training, details on the rodenticide(s) and insecticide(s) to be used, mode and frequency of application and measures to contain sprays within the facility boundary.

**Reason:** *To provide for the protection of the environment by way of treatment and monitoring of emissions.*

## Condition 7. Resource Use and Energy Efficiency

7.1 The licensee shall carry out an audit of the energy efficiency of the site within one year of the commencement of waste activities at the facility. The audit shall be carried out in accordance with the guidance published by the Agency, "Guidance Note on Energy Efficiency Auditing". The energy efficiency audit shall be repeated at intervals as required by the Agency.

7.2 The audit shall identify all practicable opportunities for energy use reduction and efficiency and the recommendations of the audit will be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2.2.2.2 above.

7.3 The licensee shall identify opportunities for reduction in the quantity of water used on site including recycling and reuse initiatives, wherever possible. Reductions in water usage shall be incorporated into Schedule of Environmental Objectives and Targets under Condition 2.2.2.2 above.

7.4 The licensee shall undertake an assessment of the efficiency of use of raw materials in all processes, having particular regard to the reduction in waste generated. The assessment should take account of best international practice for this type of activity. Where improvements are identified, these shall be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2.2.2.2 above.

**Reason:** *To provide for the efficient use of resources and energy in all site operations.*

## Condition 8. Materials Handling

- 8.1 All waste processing and storage shall be carried out inside the Materials Recovery Building.
- 8.2 Disposal or recovery of waste on-site shall only take place in accordance with the conditions of this licence and in accordance with the appropriate National and European legislation and protocols.
- 8.3 Waste sent off-site for recovery or disposal shall be transported only by an authorised waste contractor. The waste shall be transported from the site of the activity to the site of recovery/disposal only in a manner that will not adversely affect the environment and in accordance with the appropriate National and European legislation and protocols.
- 8.4 The licensee shall ensure that, in advance of transfer to another person, waste shall be classified, packaged and labelled in accordance with National, European and any other standards which are in force in relation to such labelling.
- 8.5 The loading and unloading of materials shall be carried out in designated areas protected against spillage and leachate run-off.
- 8.6 Waste shall be stored in designated areas, protected as may be appropriate against spillage and leachate run-off. The waste shall be clearly labelled and appropriately segregated.
- 8.7 No waste classified as green list waste in accordance with the EU Shipment of Waste Regulations (Council Regulation EEC No. 1013/2006, as may be amended) shall be consigned for recovery without the agreement of the Agency.
- 8.8 Waste for disposal/recovery off-site shall be analysed in accordance with *Schedule C: Control & Monitoring* of this licence.
- 8.9 Waste Acceptance and Characterisation Procedures
- 8.9.1 Waste shall only be accepted at the facility from Local Authority waste collection or transport vehicles or holders of waste permits, unless exempted or excluded, issued under the Waste Management Acts 1996 to 2008. Copies of these waste collection permits must be maintained at the facility.
- 8.9.2 In advance of commencement of waste acceptance at the facility, the licensee shall establish and maintain detailed written procedures for the acceptance and handling of wastes.
- 8.9.3 Waste arriving at the facility shall be inspected at the point of entry to the facility and subject to this inspection, weighed, documented and directed to the materials recovery building. Each load of waste arriving at the materials recovery building shall be inspected upon tipping within this building. Only after such inspections shall the waste be processed for disposal or recovery.
- 8.9.4 Any waste deemed unsuitable for processing at the facility and/or in contravention of this licence shall be immediately separated and removed from the facility at the earliest possible time. Temporary storage of such wastes shall be in a designated Waste Quarantine Area. Waste shall be stored under appropriate conditions in the quarantine area to avoid putrefaction, odour generation, the attraction of vermin and any other nuisance or objectionable condition.
- 8.9.5 Waste shall be accepted at the facility only from known customers or new customers subject to initial waste profiling and waste characterisation off-site. The written records of this off-site waste profiling and characterisation shall be retained by the licensee for all active customers and for a two year period following termination of licensee/customer agreements.

**Reason:** *To provide for the appropriate handling of material and the protection of the environment.*

## **Condition 9. Accident Prevention and Emergency Response**

9.1 The licensee shall, in advance of the commencement of waste activities, ensure that a documented Accident Prevention Procedure is in place that addresses the hazards on-site, particularly in relation to the prevention of accidents with a possible impact on the environment. This procedure shall be reviewed annually and updated as necessary.

9.2 The licensee shall, in advance of the commencement of waste activities, ensure that a documented Emergency Response Procedure is in place, that addresses any emergency situation which may originate on-site. This procedure shall include provision for minimising the effects of any emergency on the environment. This procedure shall be reviewed annually and updated as necessary.

### **9.3 Incidents**

9.3.1 In the event of an incident the licensee shall immediately:

- (i) Carry out an investigation to identify the nature, source and cause of the incident and any emission arising therefrom;
- (ii) Isolate the source of any such emission;
- (iii) Evaluate the environmental pollution, if any, caused by the incident;
- (iv) Identify and execute measures to minimise the emissions/malfunction and the effects thereof;
- (v) Identify the date, time and place of the incident;
- (vi) Notify the Agency and other relevant authorities.

9.3.2 The licensee shall provide a proposal to the Agency for its agreement within one month of the incident occurring or as otherwise agreed by the Agency, to:

- (i) Identify and put in place measures to avoid recurrence of the incident; and
- (ii) Identify and put in place any other appropriate remedial actions.

### **9.4 Emergencies**

9.4.1 In the event of a breakdown of equipment or any other occurrence which results in the closure of the materials recovery building, any waste arriving at or already collected at the facility shall be transferred directly to appropriate landfill sites or any other appropriate facility until such time as the materials recovery building is returned to a fully operational status. Such a breakdown event will be treated as an emergency and rectified as soon as possible.

9.4.2 All significant spillages occurring at the facility shall be treated as an emergency and immediately cleaned up and dealt with so as to alleviate their effects.

9.4.3 No waste shall be burnt within the boundaries of the facility. A fire at the facility shall be treated as an emergency and immediate action shall be taken to extinguish it and notify the appropriate authorities.

**Reason: To provide for the protection of the environment.**

## Condition 10. Decommissioning & Residuals Management

- 10.1 Following termination, or planned cessation for a period greater than six months, of use or involvement of all or part of the site in the licensed activity, the licensee shall, to the satisfaction of the Agency, decommission, render safe or remove for disposal/recovery any soil, subsoil, buildings, plant or equipment, or any waste, materials or substances or other matter contained therein or thereon, that may result in environmental pollution.
- 10.2 Decommissioning Management Plan (DMP)
- 10.2.1 The licensee shall prepare, to the satisfaction of the Agency, a fully detailed and costed plan for the decommissioning or closure of the site or part thereof. This plan shall be submitted to the Agency for agreement in advance of the commencement of waste activities at the facility.
- 10.2.2 The plan shall be reviewed annually and proposed amendments thereto notified to the Agency for agreement as part of the AER. No amendments may be implemented without the agreement of the Agency.
- 10.2.3 The licensee shall have regard to the Environmental Protection Agency Guidance on Environmental Liability Risk Assessment, Decommissioning Management Plans and Financial Provision when implementing Condition 10.2.1 above.
- 10.3 The Decommissioning Management Plan shall include, as a minimum, the following:
- (i) A scope statement for the plan.
  - (ii) The criteria that define the successful decommissioning of the activity or part thereof, which ensures minimum impact on the environment.
  - (iii) A programme to achieve the stated criteria.
  - (iv) Where relevant, a test programme to demonstrate the successful implementation of the decommissioning plan.
  - (v) Details of the costings for the plan and the financial provisions to underwrite those costs.
- 10.4 A final validation report to include a certificate of completion for the Decommissioning Management Plan, for all or part of the site as necessary, shall be submitted to the Agency within three months of execution of the plan. The licensee shall carry out such tests, investigations or submit certification, as requested by the Agency, to confirm that there is no continuing risk to the environment.

**Reason:** *To make provision for the proper closure of the activity ensuring protection of the environment.*

## Condition 11. Notification, Records and Reports

- 11.1 The licensee shall notify the Agency in writing, at least one month in advance of the intended date of commencement of waste activities at the facility.
- 11.2 The licence shall notify the Agency by both telephone and facsimile, if available, to the Agency's headquarters in Wexford, or to such other Agency office as may be specified by the Agency, as soon as practicable after the occurrence of any of the following:
- (i) Any release of environmental significance to atmosphere from any potential emissions point including bypasses.
  - (ii) Any emission that does not comply with the requirements of this licence.
  - (iii) Any malfunction or breakdown of key control equipment or monitoring equipment set out in *Schedule C: Control and Monitoring* which is likely to lead to loss of control of the abatement system.
  - (iv) Any incident with the potential for environmental contamination of surface water or groundwater, or posing an environment threat to air or land, or requiring an emergency response by the Local Authority.
- The licensee shall include as part of the notification, date and time of the incident, summary details of the occurrence, and where available, the steps taken to minimise any emissions.
- 11.3 In the event of any incident relating to discharges to sewer having taken place, the licensee shall notify the Local and Water Services Authority as soon as practicable after such an incident.
- 11.4 In the case of any incident relating to discharges to water, the licensee shall notify the Local and Water Services Authority and the Eastern Regional Fisheries Board as soon as practicable after such an incident.
- 11.5 The licensee shall make a record of any incident. This record shall include details of the nature, extent, and impact of, and circumstances giving rise to, the incident. The record shall include all corrective actions taken to manage the incident, minimise wastes generated and the effect on the environment, and avoid recurrence. The licensee shall, as soon as practicable following incident notification, submit to the Agency the incident record.
- 11.6 The licensee shall record all complaints of an environmental nature related to the operation of the activity. Each such record shall give details of the date and time of the complaint, the name of the complainant (if provided), and give details of the nature of the complaint. A record shall also be kept of the response made in the case of each complaint.
- 11.7 The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility.
- 11.8 The licensee shall as a minimum keep the following documents at the site:
- (i) the licences relating to the facility;
  - (ii) the current EMS for the facility;
  - (iii) the previous year's AER for the facility;
  - (iv) records of all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the facility;
  - (v) relevant correspondence with the Agency;
  - (vi) up to date site drawings/plans showing the location of key process and environmental infrastructure, including monitoring locations and emission points;
  - (vii) up to date Standard Operational Procedures for all processes, plant and equipment necessary to give effect to this licence or otherwise to ensure that standard operation of such processes, plant or equipment does not result in unauthorised emissions to the environment;



- (viii) any elements of the licence application or EIS documentation referenced in this licence.

This documentation shall be available to the Agency for inspection at all reasonable times.

- 11.9 The licensee shall submit to the Agency, by the 31<sup>st</sup> March of each year, an AER covering the previous calendar year. This report, which shall be to the satisfaction of the Agency, shall include as a minimum the information specified in *Schedule F: Annual Environmental Report* of this licence and shall be prepared in accordance with any relevant guidelines issued by the Agency.
- 11.10 **The licensee shall submit monitoring results of emissions to sewer to the Water Services Authority on an annual basis.**
- 11.11 A full record, which shall be open to inspection by authorised persons of the Agency at all times, shall be kept by the licensee on matters relating to the waste management operations and practices at this site. This record shall be maintained on a monthly basis and shall as a minimum contain details of the following:
- (i) The tonnages and EWC Code for the waste materials imported and/or sent off-site for disposal/recovery.
  - (ii) The names of the agent and carrier of the waste, and their waste collection permit details, if required (to include issuing authority and vehicle registration number).
  - (iii) Details of the ultimate disposal/recovery destination facility for the waste and its appropriateness to accept the consigned waste stream, to include its permit/licence details and issuing authority, if required.
  - (iv) Written confirmation of the acceptance and disposal/recovery of any hazardous waste consignments sent off-site.
  - (v) Details of all waste consigned abroad for Recovery and classified as 'Green' in accordance with the EU Shipment of Waste Regulations (Council Regulation EEC No. 1013/2006, as may be amended). The rationale for the classification must form part of the record.
  - (vi) Details of any rejected consignments.
  - (vii) Details of any approved waste mixing.
  - (viii) The results of any waste analyses required under *Schedule C: Control & Monitoring*, of this licence.
  - (ix) The tonnage and EWC Code for the waste materials recovered/disposed on-site.
- 11.12 A record shall be kept at the facility of the programme for the control and eradication of vermin and fly infestations at the facility. A report on the programme shall be prepared and submitted to the Agency as part of the AER.
- 11.13 **Waste Recovery Reports**
- The licensee shall as part of the EMP submit a report on the contribution by this facility to the achievement of the recovery targets stated in national and European Union waste policies and shall include the following:
- (i) proposals for the contribution of the facility to the achievement of targets for the reduction of biodegradable waste to landfill as specified in the Landfill Directive;
  - (ii) the separation of recyclable materials from the waste;
  - (iii) the recovery of Construction and Demolition Waste;
  - (iv) the recovery of metal waste.
- 11.14 A record shall be kept of each consignment of trade effluent, leachate and/or contaminated storm water removed from the facility. The record shall include the following:-
- (i) the name of the carrier;

- (ii) the date and time of removal of trade effluent, leachate and/or contaminated storm water from the facility;
  - (iii) the volume of trade effluent, leachate and/or contaminated storm water, in cubic metres, removed from the facility on each occasion;
  - (iv) the name and address of the Waste Water Treatment Plant to which the trade effluent, leachate and/or contaminated storm water was transported; and
  - (v) any incidents or spillages of trade effluent, leachate and/or contaminated storm water during its removal or transportation.
- 11.15 The licensee shall submit report(s) as required by the conditions of this licence to the Agency's Headquarters in Wexford, or to such other Agency office as may be specified by the Agency.
- 11.16 All reports shall be certified accurate and representative by the facility manager or a nominated, suitably qualified and experienced deputy.

**Reason:** *To provide for the collection and reporting of adequate information on the activity.*

## Condition 12. Financial Charges and Provisions

### 12.1 Agency Charges

12.1.1 The licensee shall pay to the Agency an annual contribution of **€9,803**, or such sum as the Agency from time to time determines, having regard to variations in the extent of reporting, auditing, inspection, sampling and analysis or other functions carried out by the Agency, towards the cost of monitoring the activity as the Agency considers necessary for the performance of its functions under the Waste Management Acts 1996 to 2008. The first payment shall be a pro-rata amount for the period from the **date of commencement of enforcement** to the 31<sup>st</sup> day of December, and shall be paid to the Agency within one month from the **date of commencement of enforcement**. In subsequent years the licensee shall pay to the Agency such revised annual contribution as the Agency shall from time to time consider necessary to enable performance by the Agency of its relevant functions under the Waste Management Acts 1996 to 2008, and all such payments shall be made within one month of the date upon which demanded by the Agency.

12.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased the licensee shall contribute such sums as determined by the Agency to defray its costs in regard to items not covered by the said annual contribution.

### 12.2 Water Services Authority Charges

The licensee shall pay to the Water Services Authority such sum as may be determined from time to time, having regard to the variations in the cost of providing drainage and the variation in effluent reception and treatment costs. Payment to be made on demand.

### 12.3 Environmental Liabilities

12.3.1 The licensee shall as part of the AER, provide an annual statement as to the measures taken or adopted at the site in relation to the prevention of environmental damage, and the financial provisions in place in relation to the underwriting of costs for remedial actions following anticipated events (including closure) or accidents/incidents, as may be associated with the carrying on of the activity.

12.3.2 The licensee shall arrange for the completion, by an independent and appropriate qualified consultant, of a comprehensive and fully costed Environmental Liabilities Risk Assessment (ELRA) to address the liabilities from past and present activities.

The assessment shall include those liabilities and costs identified in Condition 10 for execution of the DMP. A report on this assessment shall be submitted to the Agency for agreement in advance of the commencement of waste activities at the facility. The ELRA shall be reviewed as necessary to reflect any significant change on site, and in any case every three years following initial agreement. The results of the review shall be notified as part of the AER.

12.3.3 In advance of the commencement of the activity, the licensee shall, to the satisfaction of the Agency, make financial provision to cover any liabilities identified in Condition 12.3.2. The amount of indemnity held shall be reviewed and revised as necessary, but at least annually. Proof of renewal or revision of such financial indemnity shall be included in the annual 'Statement of Measures' report identified in Condition 12.3.1.

12.3.4 The licensee shall have regard to the Environmental Protection Agency Guidance on Environmental Liability Risk Assessment, Decommissioning Management Plans and Financial Provision when implementing Conditions 12.3.2 and 12.3.3 above.

**Reason:** *To provide for adequate financing for monitoring and financial provisions for measures to protect the environment and to provide for the requirements of the Water Services Authority in accordance with Section 52 of the Waste Management Acts 1996 to 2008.*

## SCHEDULE A: Limitations

### A.1 Waste Activities

The following waste related processes are authorised at the facility:

- (i) Recovery of dry recyclable waste by sorting, separation, baling and repackaging processes;
- (ii) Recovery of non-hazardous C&D waste by shredding, separation and sorting;
- (iii) Bulking and transfer of waste;
- (iv) Storage of waste prior to recovery/disposal;

No additions to these processes are permitted unless agreed in advance with the Agency.

### A.2 Waste Acceptance

*Table A.2 Waste Categories and Quantities*

WASTE TYPE		MAXIMUM <sup>Note 1</sup> (TONNES PER ANNUM)
Non-Hazardous Wastes <sup>Note 2, 3</sup>	Household & Commercial Dry Recyclables <sup>Note 4</sup>	50,000
	Construction & Demolition	50,000
Total		100,000

**Note 1:** The limitation on individual non-hazardous waste types may be varied with the agreement of the Agency subject to the total limit for non-hazardous waste staying the same.

**Note 2:** Any proposals to accept other compatible non-hazardous waste types must be agreed in advance by the Agency.

**Note 3:** EWC Codes as listed in Table (g) of the licence application non-technical summary.

**Note 4:** Excluding putrescible waste.

## SCHEDULE B: Emission Limits

### B.1 Emissions to Air

There shall be no emissions to air of environmental significance.

### B.2 Emissions to Water

There shall be no emissions to water of environmental significance.

**B.3 Emissions to Sewer**

**Emission Point Reference No:** SE1  
**Location:** Internal service road within Millennium Business Park (Grid Reference E310308, N240808)  
**Volume to be emitted:** Maximum in any one day: 20 m<sup>3</sup>

Parameter	Emission Limit Value	
	Temperature	42 °C (max)
pH	6 – 10	
	(mg/l)	(kg/day)
BOD	1,000	20
COD	3,000	60
Suspended Solids	1,000	20
Sulphates (as SO <sub>4</sub> )	400	8
Phosphates (as PO <sub>4</sub> -P)	100	2
Detergents	100	2
Oils, Fats & Grease	100	2
Mineral Oils	10	0.2

**B.4 Noise Emissions**

Daytime dB(A) L <sub>Aeq</sub> (30 minutes)	Night-time dB(A) L <sub>Aeq</sub> (30 minutes)
55 <sup>Note 1</sup>	45 <sup>Note 1</sup>

**Note 1:** There shall be no clearly audible tonal component or impulsive component in the noise emission from the activity at the site boundary.

**B.5 Dust Deposition Limits**

**Locations:** D1 (E10388 N40803)  
 As shown on Figure 8.1 'Dust Monitoring Locations' of the EIS (or as may be amended under Condition 6.6).

Level (mg/m <sup>2</sup> per day) <sup>Note 1</sup>
350

**Note 1:** 30 day composite sample with the results expressed as mg/m<sup>2</sup> per day.

## SCHEDULE C: Control & Monitoring

### C.1.1. Control of Emissions to Air

There shall be no emissions to air of environmental significance.



### C.1.2. Monitoring of Emissions to Air

There shall be no emissions to air of environmental significance.



### C.2.1. Control of Storm Water Emissions

**Emission Control Location:** SW1 (Storm water discharge)

**Description of Treatment:** Oil interceptor/Silt trap

Control Parameter	Monitoring	Key Equipment <sup>Note 1</sup>
Oil removal	Mineral oil content in water at discharge point.	Class I Full Retention Oil Interceptor
Suspended solids	Suspended solids content in storm water at discharge point.	Silt trap

**Note 1:** The licensee shall maintain appropriate access to standby and/or spares to ensure the operation of the abatement system.



### C.2.2. Monitoring of Storm Water Emissions

**Emission Point Reference No:** SW1

**Location:** Stormwater sampling manhole shown on Drawing No. D1 'Foul Sewer, Stormwater and Watermain Site Layout' of the EIS.  
(Grid Reference E310315 N240807)

Parameter	Monitoring Frequency	Analysis Method/Technique
Visual Inspection	Daily	Sample and examine for colour and odour.
Conductivity	Weekly	Standard Method
Mineral Oils	Quarterly	Standard Method
Suspended Solids	Quarterly	Standard Method



**C.3.1. Control of Emissions to Sewer**

**Emission Point Reference No:** SE1 (Effluent discharge)

**Equipment:** Oil interceptor/Silt trap

Control Parameter	Monitoring	Key Equipment <sup>Note 1</sup>
Oil removal	Mineral oil content in effluent at discharge point.	Class I Full Retention Oil Interceptor Silt trap
Suspended Solids	Suspended solids concentration in effluent at discharge point.	

**Note 1:** The licensee shall maintain appropriate access to standby and/or spares to ensure the operation of the abatement system.

**C.3.2. Monitoring of Emissions to Sewer**

**Emission Point Reference No:** SE1 (Effluent discharge)

**Location:** Foul sewer sampling manhole shown on Drawing No. D1 'Foul Sewer, Stormwater and Watermain Site Layout' of the EIS.  
(Grid Reference E310308 N240808)

Parameter	Monitoring Frequency	Analysis Method /Technique
Flow	Continuous	On-line flow meter with recorder
Temperature	Monthly	Temperature probe
pH	Monthly	pH electrode/meter
BOD	Monthly	Standard Method
COD	Monthly	Standard Method
Suspended Solids	Monthly	Standard Method
Sulphates (as SO <sub>4</sub> )	Monthly	Standard Method
Ammonia (NH <sub>4</sub> )	Monthly	Standard Method
Phosphates	Monthly	Standard Method
Detergents	Monthly	Standard Method
Oils, fats and greases	Monthly	Standard Method
Mineral Oils	Monthly	Standard Method

**C.4 Waste Monitoring**

Waste Class	Frequency	Parameter	Method
Other <sup>Note 1</sup>			

**Note 1:** Analytical requirements to be determined on a case by case basis.

**C.5 Noise Monitoring**

**Monitoring Point Reference No.:** Site Boundary Locations: NS1 (E310403 N240673)  
NS2 (E310306 N240820)

**Locations:** As shown on Figure 10.1 'Baseline Noise Monitoring Locations' of the EIS (or as may be amended under Condition 6.6)

Parameter	Monitoring Frequency	Analysis Method/Technique
L(A) <sub>EQ</sub> [30 minutes]	Annual	Standard <sup>Note 1</sup>
L(A) <sub>10</sub> [30 minutes]	Annual	Standard <sup>Note 1</sup>
L(A) <sub>90</sub> [30 minutes]	Annual	Standard <sup>Note 1</sup>
Frequency analysis (1/3 octave band analysis)	Annual	Standard <sup>Note 1</sup>

**Note 1:** "International Standards Organisation. ISO 1996. Acoustics - Description and Measurement of Environmental Noise. Parts 1, 2 and 3."

**C.6 Dust Monitoring**

**Monitoring Point Reference No.:** D1 (E10388 N40803)

**Location:** As shown on Figure 8.1 'Dust Monitoring Locations' of the EIS (or as may be amended under Condition 6.6)

Parameter	Monitoring Frequency	Analysis Method/Technique
Dust deposition	Bi-annually <sup>Note 1</sup>	Bergerhoff

**Note 1:** Once during the period May to September, or as otherwise specified in writing by the Agency

**Note 2:** Standard Method VDI2119 (Measurement of Dustfall, Determination of Dustfall using Bergerhoff Instrument (Standard Method) German Engineering Institute).

**SCHEDULE D: Specified Engineering Works**

Specified Engineering Works
Development of the facility including installation of waste-handling, processing, recycling/recovery infrastructure and installation of increased waste processing capacity as well as any abatement system(s).
Installation of drainage network including silt traps and oil interceptors.
Installation of dust/odour abatement system.
Any other works notified in writing by the Agency.



## SCHEDULE E: Reporting

Completed reports shall be submitted to:

The Environmental Protection Agency  
Office of Environmental Enforcement  
Regional Inspectorate  
McCumiskey House  
Richview  
Clonskeagh Road  
Dublin 14

or Any other address as may be specified by the Agency

Reports are required to be forwarded as required in the licence and as may be set out below:

Report	Reporting Frequency <sup>Note 1</sup>	Report Submission Date
Annual Environment Report (AER)	Annually	By 31st March of each year.
Record of incidents	As they occur	Within five days of the incident.
Specified Engineering Works reports	As they arise	In advance of the works commencing.
Bund, tank and container integrity assessment	Every three years	Prior to commencement of waste activities; thereafter as part of the AER.
Licence monitoring requirements	Annually	As part of the AER.
Schedule of Objectives & Targets	-	Three months in advance of commencement of waste activities.
Any other monitoring/reports	As they occur	Within ten days of obtaining results.

Note 1: Unless altered at the request of the Agency.

## SCHEDULE F: Annual Environmental Report

Annual Environmental Report Content <sup>Note 1</sup>
<p>Waste activities carried out at the facility.</p> <p>Quantity and composition of waste recovered, received and disposed of during the reporting period and each previous year (relevant EWC codes to be used).</p> <p>Full title and a written summary of any procedures developed by the licensee in the year, which relate to the facility operation.</p> <p>Waste Recovery Report.</p> <p>Review of nuisance controls.</p> <p>Emissions from the facility.</p> <p>Waste management record.</p> <p>Resource consumption summary.</p> <p>Complaints summary.</p> <p>Schedule of Environmental Objectives and Targets.</p> <p>Environmental management programme – report for previous year.</p> <p>Environmental management programme – proposal for current year.</p> <p>PRTR Report &amp; Proposal.</p> <p>Noise monitoring report summary.</p> <p>Tank and pipeline testing and inspection report (as necessary).</p> <p>Reported incidents summary.</p> <p>Energy efficiency audit report summary (as necessary).</p> <p>Report on the assessment of the efficiency of use of raw materials in processes and the reduction in waste generated.</p> <p>Report on progress made and proposals being developed to minimise water demand and the volume of trade effluent discharges.</p> <p>Development/Infrastructural works summary (completed in previous year or prepared for current year).</p> <p>Reports on financial provision made under this licence, management and staffing structure of the facility, and a programme for public information.</p> <p>Review of Decommissioning Management Plan.</p> <p>Statement of measures in relation to prevention of environmental damage and remedial actions (Environmental Liabilities).</p> <p>Environmental Liabilities Risk Assessment Review (every three years or more frequently as dictated by relevant on-site change including financial provisions).</p> <p>Any other items specified by the Agency.</p>

**Note 1:** Content may be revised subject to the agreement of the Agency.

Signed on behalf of the said Agency \_\_\_\_\_  
 On the xx day of xxxxx, 2008      xxxxxxxxxxxx      **Authorised Person**