Site Visit Report

The site visit process is a sample on a particular day of an installation's compliance with some of its licence conditions. Where non-compliance against a particular condition has not been reported, this should not be construed to mean that there is full compliance with that condition of the licence.

Instructions and actions arising from the visit shall be addressed, or where applicable noted, by the licensee in order to ensure compliance, to improve the environmental performance of the installation and to provide clarification on certain issues.

The licensee shall take the actions specified to close out the non-compliances and observations raised in this Site Visit Report.

Licensee

Name of Installation	Enva Ireland Limited (Portlaoise)
Licensee	Enva Ireland Limited
Licence Register No.	W0184-02
CRO Number	317186
Site Address	Clonminam Industrial Estate, Portlaoise, Laois
Site Visit Reference No.	SV16010

Report Detail

Issue Date	28/09/2018
Prepared By	Lisa Maher

Site Visit Detail

Date Of Inspection	03/09/2018	**Announced**		No	
Time In	09:07	**Time Out**		17:05	
Visited by on behalf of the EPA	This odour assessment was undertaken by Brendan O'Kane, AECOM, Contracted Odour Agent working on behalf of the EPA. Lisa Maher, EPA Inspector wrote and issued this report.				
Licensee Personnel and Role	Not applicable. A site inspection was not undertaken.				
Photo Taken	No	**Samples Taken**	No	**Video Taken**	No
Odour Assessment	Yes	**Odour Assessment Compliant**		Yes	

Scope

An odour assessment of the ENVA Ireland Ltd. (Portlaoise) installation and the surrounding environs was undertaken by a Contracted Odour Agent working on behalf of the EPA on 03/09/2018 to assess compliance with the conditions of Industrial Emissions Licence Reg. No. W0184-02.

Media

The medium of interest was air.

Site Areas Inspected

A site inspection was not undertaken as no odours resulting in impairment of, or an interference with amenities or the environment were detected.

Documents Inspected

Not applicable. A site inspection was not undertaken.

Odour Assessment

Date of odour assessment: 03/09/2018 **Start time:** 09:07 **Finish time:** 17:05

This document's reference number: SV16010

This odour assessment was undertaken by: Brendan O'Kane, AECOM, Contracted Odour Agent

As per the criteria stated above an odour assessment was undertaken in accordance with EPA Air Guidance document AG5 (Odour Impact Assessment Guidance for EPA Licensed Sites).

Due to the findings of the odour assessment it is the opinion of the assessor that the activities occurring on the premises of ENVA Ireland Ltd. (Portlaoise) were not in breach of Condition 5.3 of Industrial Emissions Licence W0184-02 at the time of the assessment.

EPA Air Guidance document AG5 is available online at www.epa.ie

Summary

No odours from the installation were detected.

Due to the findings of the odour assessment undertaken on 03/09/2018, it is the opinion of the assessor that the activities occurring on the premises of ENVA Ireland Ltd. (Portlaoise) were not in breach of condition 5.3 of Industrial Emissions Licence Reg. No. W0184-02 at the time of the assessment.

FOLLOW-UP ACTIONS

You are required to complete the instructions and actions, as outlined in this report, within the specified timeframe. Where required, you shall respond to actions specified in Compliance Investigations within the required timeframe.The licensee shall maintain documentary evidence, for review by the EPA, that the prescribed corrective actions were completed within the required timeframe.

(i) Compliance Investigations

You are not required to respond directly to items contained in this EPA site visit report; where an issue requires a direct response, the EPA will generate a Compliance Investigation through the EDEN system. You will receive notification when a Compliance Investigation instruction or action is generated.

(ii) Publication of reports and licensee response.

Please note that this Site Visit Report will be made available for public viewing via the EPA's Licence Enforcement Access Portal within one day of the issue date and will be published on the Licence Details Page of the EPA's website, www.epa.ie, that relates to your licence 60 calendar days after the issue date.

You may if you choose submit, within 45 calendar days of the issue date of this Site Visit Report, a Licensee Public Response that will be published alongside the Site Visit Report. This Response, should you wish to avail of it, provides you with an opportunity to inform the public about how you are implementing the actions set out in the report, activities underway, timescales and target completion dates. Please be aware that the content of your Licensee Public Response must be factual and should not breach the EPAs stated online publication standards.

If you wish to submit a Licensee Public Response to an EPA Site Visit Report, you should do this by clicking on the 'Make a Response' link on the Site Visits page in EDEN. A .pdf document containing your response can be attached and submitted from here.

(iii) Response to Site visit report

Where you do wish to respond directly to a site visit report, you should do this by generating a 'Licensee Return' of the type 'Site Updates/Notifications' and the sub-type 'Response to EPA Report' in EDEN.

Please note that you are required to comply with the conditions of your licence at all times, and where noncompliance occurs you must restore compliance within the shortest possible time. These actions will be verified during subsequent EPA visits.

Please quote the above Inspection Reference Number in any future correspondence in relation to this Report.