

| Organisation Name | Scheme Code | Scheme Name | Supply Type | Population Served | Volume Supplied (m ³ /day) | Type Of Treatment |
|------------------------|-------------|-------------------------------------|-------------|-------------------|---------------------------------------|---|
| Leitrim County Council | 1700PUB0020 | Kinlough/Tullaghan | PWS | 2332 | 1083 | Automated PACL dosing, Actiflo Clarification, RGSF, UV, Sodium hypochlorite and Fluoridation, |
| Leitrim County Council | 1700PUB0012 | North Leitrim Regional Water Supply | PWS | 5904 | 3619 | Coagulation using Aluminium Sulphate, D.A.F., Rapid Gravity Filtration, chlorine gas and Caustic Soda , Fluoridation |
| Leitrim County Council | 1700PUB1100 | South Leitrim Regional | PWS | 14775 | 10278 | Coagulation using Caustic soda and Aluminium Sulphate, D.A.F., Rapid Gravity Filtration, UV, liquid chlorine and Caustic Soda |
| Leitrim County Council | 1700PRI1125 | Aghagrania | PUG | 39 | 16 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas, |
| Leitrim County Council | 1700PRI1051 | Anfield GWS | PUG | 64 | 13 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1011 | Ardlogher/Cornagher | PUG | 34 | 36 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1017 | Aughavas | PUG | 76 | 15 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1018 | Aughawillan | PUG | 301 | 59 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1058 | Ballinagleragh | PUG | 248 | 141 | none |
| Leitrim County Council | 1700PRI1148 | Castleroggy | PUG | 64 | 10 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1191 | Cloonaquin | PUG | 62 | 10 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Lime |
| Leitrim County Council | 1700PRI1063 | Cloonsarn | PUG | 95 | 50 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1251 | Corduff GWS | PUG | 51 | 10 | |
| Leitrim County Council | 1700PRI1081 | Cornabrone/Aughaslan | PUG | 90 | 24 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1103 | Corrateriff | PUG | 78 | 18 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1211 | Drumaleague | PUG | 73 | 19 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1042 | Drumcree | PUG | 48 | 20 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1186 | Drumgowla (Corlea) | PUG | 48 | 13 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1162 | Drumhany Bunnybeg PuGWS | PUG | 51 | 13 | |
| Leitrim County Council | 1700PRI1167 | Drumharkin/Drumroosk | PUG | 51 | 13 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1182 | Drumraine/Costra | PUG | 53 | 12 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |

| | | | | | | |
|------------------------|-------------|--------------------------------|-----|-----|-----|---|
| Leitrim County Council | 1700PRI1032 | Fawn/Killarkin | PUG | 99 | 30 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1241 | Glenboy/Glenfarne GPU | PUG | 829 | 92 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Lime |
| Leitrim County Council | 1700PRI1099 | Glencar Gpu | PUG | 90 | 45 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Lime |
| Leitrim County Council | 1700PRI1038 | Gorvagh/Drumloan | PUG | 90 | 37 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1200 | Keeldra No. 2 | PUG | 95 | 21 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1104 | Kilmaddaroe | PUG | 64 | 11 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1197 | Lisdrumfarna/Lisdrumrea | PUG | 78 | 10 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1159 | Lismoyle/Coolcreeve | PUG | 18 | 11 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1068 | Lough Erril | PUG | 94 | 28 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1110 | Loughside | PUG | 99 | 50 | See Ballyshannon water supply Donegal Co Co. |
| Leitrim County Council | 1700PRI1048 | Mullagh/Gortinee | PUG | 48 | 10 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1093 | Mullaghboy/Drumbranned | PUG | 99 | 23 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI0010 | Tarmon | PUG | 98 | 14 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Lime |
| Leitrim County Council | 1700PRI1123 | Tawnyfeacle | PUG | 114 | 22 | Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Lime |
| Leitrim County Council | 1700PRI1204 | Tully | PUG | 30 | 14 | Served by North Leitrim Regional Water Supply Scheme - Coagulation using Aluminium Sulphate, D.A.F.Rapid Gravity Filtration Chlorine gas and Soda ash |
| Leitrim County Council | 1700PRI1002 | Carrigallen GWS | PRG | 643 | 145 | none |
| Leitrim County Council | 1700PRI1202 | Cornashamsoge | PRG | 71 | 20 | none |
| Leitrim County Council | 1700PRI1111 | Drumeela Drinking Water Scheme | PRG | 27 | 2 | UV filter only |
| Leitrim County Council | 1700PRI1086 | Mohercregg | PRG | 201 | 39 | none |
| Leitrim County Council | 1700PRI1249 | Sliabh an Iarainn | PRG | 639 | 275 | |