

Organisation Name	Scheme Code	Scheme Name	Supply Type	Population Served	Volume Supplied (m <sup>3</sup> /day)	Type Of Treatment
Mayo County Council	2200PUB1001	ACHILL RWSS	PWS	2551	1862	Coagulation using soda ash, kibbled alum and poly LT25S, clarification, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Fluoridation also.
Mayo County Council	2200PUB1004	Ballina - Lisglennon	PWS	5181	3271	polyelectrolyte, clarification, rapid gravity filtration followed by disinfection using chlorine gas. Fluoridation also.
Mayo County Council	2200PUB1003	Ballina - Wherrew	PWS	3044	1950	polyelectrolyte, Upward flow Clarifier, rapid gravity filtration followed by disinfection using chlorine gas. Fluoridation also.
Mayo County Council	2200PUB1008	Ballina Town Mixed Supply	PWS	11100	5309	Coagulation using liquid alum and Allfloc B515PWG polyelectrolyte, clarification by settlement, rapid gravity filtration followed by disinfection using chlorine gas. Fluoridation also.
Mayo County Council	2200PUB1005	Ballycastle PWS	PWS	402	191	Chlorination using liquid chlorine.
Mayo County Council	2200PUB1037	Ceide Fields PWS	PWS	0	18	Chlorination
Mayo County Council	2200PUB1010	Charlestown PWS	PWS	1539	985	Chlorination using liquid chlorine .
Mayo County Council	2200PUB1030	Clare Island PWS	PWS	182	104	Slow Sand Filtration and OSEC Chlorination
Mayo County Council	2200PUB1013	Crossmolina PWS	PWS	1538	950	Chlorination using sodium hypochlorite.
Mayo County Council	2200PUB1007	ERRIS RWSS	PWS	4154	3058	Coagulation using liquid alum and poly 220P with pH adjustment using soda ash. Upward flow Clarification, Rapid gravity filtration and chlorination using chlorine gas. Fluoridation also.
Mayo County Council	2200PUB1014	Foxford PWS	PWS	1653	555	Slow sand filtration and chlorination using sodium hypochlorite
Mayo County Council	2200PUB1031	Inishturk PgwS	PWS	34	28	Slow sand filtration and chlorination OSEC
Mayo County Council	2200PUB1015	Kilkelly PWS	PWS	1085	720	Chlorination using sodium hypochlorite and UV.
Mayo County Council	2200PUB1017	Kiltimagh PWS	PWS	1640	840	Coagulation using polyaluminium chloride and poly Clearfloc 501P. Upward flow Clarifier and RGSF. Chlorination using chlorine gas. Fluoridation.
Mayo County Council	2200PUB1036	KNOCK AIRPORT	PWS	2	51	Chlorination using sodium hypochlorite.
Mayo County Council	2200PUB1032	LOUGH MASK RWSS	PWS	43849	36198	Coagulation using ferric sulphate and poly LT27, clarification by settlement, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Fluoridation also.
Mayo County Council	2200PUB1039	Lough Mask Westport Town Mixed Supply	PWS	3953	2113	see Westport WTP & Lough Mask
Mayo County Council	2200PUB1020	Louisburgh PWS	PWS	878	316	Dissolved Air Flotation/Filtration (DAFF) followed by disinfection using chlorine gas. pH correction using soda ash.
Mayo County Council	2200PUB1021	Mulranny PWS	PWS	710	361	Coagulation using soda ash, kibbled alum, Clarification by settlement, rapid gravity filtration and chlorination using sodium hypochlorite.

Mayo County Council	2200PUB1022	Newport PWS	PWS	684	342	Coagulation using soda ash and Kibbled Alum, Clarification by settlement, rapid gravity filtration and chlorination using Sodium Hypochlorite.
Mayo County Council	2200PUB1024	Swinford PWS	PWS	1820	801	Allfloc B515PWG polyelectrolyte, clarification (DAFF) filtration followed by disinfection using chlorine gas. Fluoridation also.
Mayo County Council	2200PUB1025	Westport PWS	PWS	3297	1756	LT25S, Upward flow Clarifier, rapid gravity filtration followed by disinfection using chlorine gas. Ph adjustment using soda ash. Fluoridation also.
Mayo County Council	2200PRI2164	ABBEYQUARTER pGWS	PUG	104	18	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2195	ARDS/CURRANE pGWS	PUG	26	0	Coagulation using kibbled alum and poly LT25S, clarification, rapid gravity filtration followed by disinfection using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2211	BALLINLOUGH pGWS	PUG	114	24	Coagulation using polyaluminium chloride and poly Clearfloc 903P, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Ph adjustment using soda ash. Flouridation also.
Mayo County Council	2200PRI2386	BALLYFARNAGH/MAGHERABOY pGWS	PUG	72	15	clarification, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2274	BALLYHOLAN pGWS	PUG	84	20	Coagulation using liquid alum and poly LT25S, clarification, rapid gravity filtration followed by disinfection using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2358	BALLYSAKERRY pGWS	PUG	87	29	Coagulation using liquid alum and poly LT25S, clarification, rapid gravity filtration followed by disinfection using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2012	BEKAN & DISTRICT pGWS	PUG	504	250	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2013	BELCARRA pGWS	PUG	1149	311	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2383	BRACKLOON/BOHEA pGWS	PUG	60	187	Coagulation using polyaluminium chloride and poly Clearfloc 903P, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Ph adjustment using soda ash. Flouridation also.
Mayo County Council	2200PRI2251	CAHIR pGWS	PUG	62	0	connected to the LOUISBURGH PWS

Mayo County Council	2200PRI2262	CARNE pGWS	PUG	125	27	pH adjustment using soda ash. Rapid gravity filtration and chlorination using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2439	Carranaradh Pgws	PUG	104	12	Slow sand filtration and chlorination using sodium hypochlorite. (Sodium Hypochlorite 10/12% no softener) Please note that depending on raw water characteristics Foxford changes coagulant
Mayo County Council	2200PRI2357	CARRAS DISTRICT pGWS	PUG	879	222	clarification, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2214	CLOGHER (WESTPORT) pGWS	PUG	301	62	Coagulation using polyaluminium chloride and poly Clearfloc 903P, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Ph adjustment using soda ash. Flouridation also.
Mayo County Council	2200PRI2253	CLOONGEE pGWS	PUG	127	30	Slow sand filtration and chlorination using sodium hypochlorite. (Sodium Hypochlorite 10/12% no softener) Please note that depending on raw water characteristics Foxford changes coagulant
Mayo County Council	2200PRI2277	CLOONISLAUN pGWS	PUG	156	40	Coagulation using liquid alum and poly LT25S, clarification, rapid gravity filtration followed by disinfection using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2389	CLOONRANE pGWS (GALWAY COCO)	PUG	6	10	clarification, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2438	COMMINCH pGWS	PUG	55	15	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2034	COOGUE pGWS	PUG	153	136	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2370	CORDARRAGH pGWS	PUG	54	13	Coagulation using polyaluminium chloride and poly Lt25S. Chlorination using chlorine gas
Mayo County Council	2200PRI2674	CORTOON (KILTIMAGH) pGWS	PUG	50	10	
Mayo County Council	2200PRI2380	CRIMLIN/ROSS pGWS	PUG	255	47	clarification, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2292	CRUMPAUN pGWS	PUG	88	22	Coagulation using kibbled alum and poly LT25S, clarification, rapid gravity filtration followed by disinfection using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2236	DALGAN pGWS	PUG	70	19	filtration and chlorination using chlorine gas. Flouridation also.

Mayo County Council	2200PRI2376	DELVIS/KNOCKBRACK pGWS	PUG	177	47	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2375	DERRY pGWS	PUG	84	13	clarification, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2284	DERRYNAMEEL/DERRYCORRIB pGWS	PUG	54	17	pH adjustment using soda ash. Rapid gravity filtration and chlorination using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2198	DOOEGA pGWS	PUG	143	74	clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2154	DOOHOMA/DERRYCORRIB pGWS	PUG	1016	227	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2200	DOONIVER pGWS	PUG	257	51	clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2368	DOORYORK pGWS	PUG	207	58	pH adjustment using soda ash. Rapid gravity filtration and chlorination using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2399	DRUMMINROE (WEST) pGWS	PUG	106	22	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2201	DUGORT (EAST) NO. 1 pGWS	PUG	130	45	clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2199	DUGORT NO.2 pGWS	PUG	182	40	clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2049	ELLY/BLACKSOD pGWS	PUG	850	211	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2501	Emlybeg Common/Carne pGWS	PUG	62	0	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2283	FOXPOINT/BARNATRA pGWS	PUG	88	13	pH adjustment using soda ash. Rapid gravity filtration and chlorination using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2445	GLENCASTLE pGWS	PUG	101	25	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.

Mayo County Council	2200PRI2381	GORTEEN (SHRULE) pGWS	PUG	78	25	filtration and chlorination using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2060	GURTEEN/CARROWKEEL pGWS	PUG	478	380	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2327	KEENAGHBEG (KEENAGH) GWS	PUG	200	30	None
Mayo County Council	2200PRI2071	KILGARRIFF pGWS	PUG	140	64	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2148	KILKEERAN pGWS	PUG	57	33	Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2224	KILLAWALLA pGWS	PUG	348	90	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2538	KINLOUGH pGWS	PUG	51	20	chlorination using sodium hypochlorite and UV Flouridation also.
Mayo County Council	2200PRI2510	Knockatubber pGWS	PUG	60	0	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2378	LECARROW (BALLYHAUNIS) pGWS	PUG	39	0	clarification, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2082	LISSATAVA pGWS	PUG	195	37	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2190	MEELICKMORE pGWS	PUG	80	61	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also
Mayo County Council	2200PRI2446	MOUNT JUBILEE pGWS	PUG	171	25	pH adjustment using soda ash. Rapid gravity filtration and chlorination using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2259	MOYRAHAN pGWS	PUG	78	22	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.

Mayo County Council	2200PRI2364	NORTH COAST pGWS	PUG	88	28	pH adjustment using soda ash. Rapid gravity filtration and chlorination using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2373	POLLROHANAN pGWS	PUG	35	0	Coagulation using polyaluminium chloride and poly LT25S. Chlorination using chlorine gas.
Mayo County Council	2200PRI2285	PULLATHOMAS pGWS	PUG	381	61	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2227	RAHARD pGWS	PUG	84	30	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2250	RATHCASH pGWS	PUG	80	14	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2666	RATHFRAN pGWS	PUG	57	10	a225, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Flouridation also
Mayo County Council	2200PRI2141	ROSMONEY WEST PGWS	PUG	78	0	Coagulation using polyaluminium chloride and poly Clearfloc 903P, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Ph adjustment using soda ash. Flouridation also.
Mayo County Council	2200PRI2361	ROSS pGWS (BALLINA)	PUG	221	36	Coagulation using liquid alum and poly LT25S, clarification, rapid gravity filtration followed by disinfection using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2202	SAULIA pGWS	PUG	268	55	clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2036	SLIEVENAGARK pGWS	PUG	50	20	Coagulation using liquid alum and poly LT25S, clarification, rapid gravity filtration followed by disinfection using chlorine gas. Flouridation also.
Mayo County Council	2200PRI2390	SRAH pGWS	PUG	60	14	clarification, rapid gravity filtration followed by disinfection using chlorine gas and pH correction using soda ash. Fluoridation also.
Mayo County Council	2200PRI2153	SRAHEEN/AUGHAGOWER pGWS	PUG	210	51	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2366	TALLAGH HILL pGWS	PUG	120	18	pH adjustment using soda ash. Rapid gravity filtration and chlorination using chlorine gas. Flouridation also.

Mayo County Council	2200PRI2367	TULLAGHANDUFF/BAWN pGWS	PUG	93	32	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2298	TULLAGHBAWN GWS	PUG	86	30	pH adjustment using soda ash. Rapid gravity filtration and chlorination using sodium hypochlorite. Flouridation also.
Mayo County Council	2200PRI2784	Mayo SPS 1	PRI	0	0	
Mayo County Council	2200PRI2540	SPS - ASHLEAGH LODGE	PRI	0	0	0
Mayo County Council	2200PRI2783	SPS - Betty Rose Cupcakes, Murrisk	PRI	0	0	UV Treatment
Mayo County Council	2200PRI2791	SPS - BREAFFY HOUSE HOTEL	PRI	0	0	
Mayo County Council	2200PRI2401	SPS - CAMPBELL'S BAR, MURRISK	PRI	0	0	UV Filtration
Mayo County Council	2200PRI2665	Mayo SPS 2	PRI	0	0	
Mayo County Council	2200PRI2677	SPS - CLARE ISLAND LIGHTHOUSE	PRI	0	0	Filtration, Reverse Osmosis, UV
Mayo County Council	2200PRI2785	SPS - Cloona Health Retreat, Cloona	PRI	0	0	
Mayo County Council	2200PRI2402	SPS - CONNOLLY'S BAR, CARROWTEIGE	PRI	0	0	None
Mayo County Council	2200PRI2794	SPS - CREEVAGH HEIGHTS B&B	PRI	2	0	Water Softner
Mayo County Council	2200PRI2788	SPS - Croagh Patrick Holiday Village	PRI	30	10	
Mayo County Council	2200PRI2426	SPS - CROUGH PAT COMMUNITY CAFE	PRI	0	0	UV Filtration
Mayo County Council	2200PRI2403	SPS - CROUGH PATRICK'S INFORMATION CENTRE	PRI	0	0	UV Filtration and deionisation
Mayo County Council	2200PRI2405	SPS - DAVEY'S BAR, CARRACASTLE	PRI	0	0	UV Filtration
Mayo County Council	2200PRI2541	SPS - DELPHI LODGE	PRI	0	0	0
Mayo County Council	2200PRI2539	SPS - DELPHI MOUNTAIN RESORT	PRI	0	0	0
Mayo County Council	2200PRI2550	SPS - DUFFYS GROCERY	PRI	0	0	UV Light Treatment
Mayo County Council	2200PRI2406	SPS - FLANAGAN'S BAR, BRICKEENS	PRI	0	0	UV Filtration
Mayo County Council	2200PRI2407	SPS - GARVIN'S SUPERMARKET, CARROWTEIGE	PRI	0	0	None
Mayo County Council	2200PRI2545	SPS - GIBBONS FOODSTALL, MURRISK, WESTPORT	PRI	0	0	None
Mayo County Council	2200PRI2681	SPS - GLENKEEN FARM, LOUISBURGH	PRI	0	0	
Mayo County Council	2200PRI2796	SPS - GREAT NATIONAL HOTEL, BALLINA	PRI	0	0	Softener and chlorination
Mayo County Council	2200PRI2410	SPS - HILLCREST HOME BAKERY, KILMOVEE	PRI	0	0	None
Mayo County Council	2200PRI2670	SPS - Lecanvey Community Centre	PRI	40	8	UV
Mayo County Council	2200PRI2781	SPS - Mariko Green Tea	PRI	0	0	
Mayo County Council	2200PRI2676	SPS - MARTIN THE SHORE FRESH FISH	PRI	0	0	
Mayo County Council	2200PRI2411	Mayo SPS 3	PRI	0	0	UV Filtration
Mayo County Council	2200PRI2413	Mayo SPS 4	PRI	0	0	None
Mayo County Council	2200PRI2782	SPS - Mescan Brewery, Kilsallagh	PRI	0	0	UV Treatment
Mayo County Council	2200PRI2414	SPS - OLD HEAD BAR, LOUISBURGH	PRI	0	0	Ultra-violet Filtration
Mayo County Council	2200PRI2673	SPS - St John's Nursing Home Ballinamore Hse Kiltimagh	PRI	40	8	UV Light Treatment
Mayo County Council	2200PRI2425	SPS - STAGVIEW B&B, BALLINA	PRI	0	0	None
Mayo County Council	2200PRI2416	SPS - STAUNTON'S BAR, LECANVEY	PRI	0	0	Ultra-violet Filtration and deionisation
Mayo County Council	2200PRI2555	SPS - THE LARCHES, FINNEY	PRI	0	0	UV Light Treatment
Mayo County Council	2200PRI2418	SPS - THE TAVERN BAR, MURRISK	PRI	0	0	Ultra-violet Filtration and deionisation
Mayo County Council	2200PRI2452	SPS - THOMAS LYONS PUB, ROUNDFORT	PRI	0	0	UV Filtration
Mayo County Council	2200PRI2546	SPS - WEST VIEW HOTEL, LOUISBURGH	PRI	0	2	Filter and UV
Mayo County Council	2200PRI2797	SPS - WESTERN BRAND CHICKEN, BALLYHAUNIS	PRI	0	550	Ion exchange and chlorination

Mayo County Council	2200PRI2790	SPS - Westport Plaza Hotel	PRI	30	10	
Mayo County Council	2200PRI2793	SPS - YELLOW ROSE B&B	PRI	2	0	
Mayo County Council	2200PRI2669	SPS St Attracta's Nursing Home Charlestown	PRI	40	8	UV
Mayo County Council	2200PRI2004	AILLE GWS (AYLE)	PRG	195	80	Chlorination
Mayo County Council	2200PRI2003	ATTYMASS GWS	PRG	871	340	Chlorination
Mayo County Council	2200PRI2006	BALLYCROY GWS	PRG	1027	500	Pressure filter, membrane filtration & chlorination
Mayo County Council	2200PRI2011	BARNEYCARROLL GWS	PRG	343	180	Chlorination
Mayo County Council	2200PRI2014	BELDERG GWS	PRG	171	30	DBO contract - membrane filtration & chlorination
Mayo County Council	2200PRI2020	BRACKLOON/SPADDAGH GWS	PRG	370	110	Rapid Gravity Filter, DAF, UV & Chlorination
Mayo County Council	2200PRI2557	CALLOW LAKE GWS	PRG	3338	451	Pressure Sand Filter , unvalidated UV &
Mayo County Council	2200PRI2542	Clew Bay GWS	PRG	1084	198	DAF with GAC for taste and odour, Unvalidated UV
Mayo County Council	2200PRI2339	CLOONLYON GWS	PRG	50	20	Chlorination
Mayo County Council	2200PRI2122	CLOONMORE/CLOONLAVIS GWS	PRG	221	140	Chlorination & Unvalidated UV
Mayo County Council	2200PRI2121	CLOONMORE/ROOSKEY GWS	PRG	621	450	Adsorbition Clarifier, chlorination and unvalidated
Mayo County Council	2200PRI2037	CREGGDUFF GWS	PRG	673	546	Chlorination
Mayo County Council	2200PRI2326	CURRAMORE (BALLINROBE) GWS	PRG	257	136	Coagulation using ferric sulphate and poly Flopam 910, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite and pH correction using soda ash. Flouridation also.
Mayo County Council	2200PRI2035	CURRAUNBOY GWS (CORNBOY) GWS	PRG	86	35	Ultra violet
Mayo County Council	2200PRI2043	CUSHIN GWS	PRG	231	82	Chlorination
Mayo County Council	2200PRI2126	DERRYVOHY GWS	PRG	301	132	Chlorine
Mayo County Council	2200PRI2125	DOOHOMA pGWS	PRG	127	41	
Mayo County Council	2200PRI2047	DRUM / BINGHAMSTOWN GWS	PRG	364	106	Sand Filter, Chlorine and unvalidated UV
Mayo County Council	2200PRI2127	DRUMMIN GWS	PRG	148	89	Pressure Filter, Membrane Filtration, Chlorination
Mayo County Council	2200PRI2543	DRUMMINDOO FAHY GWS	PRG	1677	600	Rapid Gravity Filter, DAF, UV & Chlorination
Mayo County Council	2200PRI2128	DRUMSHEEN/NEWTOWN GWS	PRG	78	31	Chlorination
Mayo County Council	2200PRI2130	ERREW GWS	PRG	109	49	unvalidated UV
Mayo County Council	2200PRI2667	Farnaught pGWS	PRG	70	0	Coagulation using polyaluminium chloride and poly Clearfloc 903P, clarification, rapid gravity filtration followed by disinfection using sodium hypochlorite. Ph adjustment using soda ash. Flouridation also.
Mayo County Council	2200PRI2147	FUNSHINAUGH/CROSS GWS	PRG	421	455	Disc Filters, Chlorine and unvalidated UV
Mayo County Council	2200PRI2056	GLENCORRIB GWS	PRG	1071	500	Pressure Filter, Membrane Filtration, Chlorination
Mayo County Council	2200PRI2057	GLENHEST GWS	PRG	416	144	Pressure Filter, Membrane Filtration, Chlorination
Mayo County Council	2200PRI2064	IRISHTOWN GWS	PRG	1006	371	Chlorination and unvalidated UV
Mayo County Council	2200PRI2065	JOHNSTOWN GWS	PRG	476	184	Chlorination
Mayo County Council	2200PRI2159	KILCOLMAN/FACEFIELD GWS	PRG	380	160	Sand Filter, Chlorine and unvalidated UV
Mayo County Council	2200PRI2072	KILLASSER GWS	PRG	1123	760	Pressure sand filter, Ozone and GAC, Chlorination & unvalidated UV
Mayo County Council	2200PRI2073	KILLATURLEY GWS	PRG	933	546	Chlorination
Mayo County Council	2200PRI2074	KILLEEN GWS	PRG	900	150	Nano Filtration Chlorination.
Mayo County Council	2200PRI2070	KILLGALLIGAN GWS	PRG	73	24	None
Mayo County Council	2200PRI2075	KILMEENA GWS	PRG	1079	267	Rapid Gravity Filter, DAF, UV & Chlorination

Mayo County Council	2200PRI2133	KILMOVEE/URLAUR GWS	PRG	1770	540	Rapid Gravity Filter, DAF, UV & Chlorination
Mayo County Council	2200PRI2079	LAGHTA GWS	PRG	304	145	Pressure Filter, Membrane Filtration, Chlorination
Mayo County Council	2200PRI2668	Lough Carra GWS	PRG	1502	0	Coagulation dosing, adsorption clarifier, pressure filtration, UV & Chlorination
Mayo County Council	2200PRI2083	LOUGH MASK CREEVAGH GWS	PRG	970	300	Coagulation dosing, adsorption clarifier, pressure filtration, UV & Chlorination
Mayo County Council	2200PRI2136	LOUGH AUNNAMAN GWS	PRG	150	62	Chlorination & unvalidated UV
Mayo County Council	2200PRI2150	MIDFIELD GWS	PRG	1097	300	Chlorination
Mayo County Council	2200PRI2551	MOYLAW GWS	PRG	247	0	CHLORINATION
Mayo County Council	2200PRI2552	MOYLOUGH pGWS	PRG	12	0	Filtration, Coagulation and Chlorination
Mayo County Council	2200PRI2549	NEPHIN VALLEY GWS	PRG	1609	0	PRESSURE SAND FILTER, OZONE, GAC, CHLORINATION & UNVALIDATED UV
Mayo County Council	2200PRI2093	PARKE GWS	PRG	956	391	Adsorption Clarifier, chlorination and unvalidated
Mayo County Council	2200PRI2559	PBKS GWS	PRG	2056	700	Adsorption Clarifier, chlorination and unvalidated
Mayo County Council	2200PRI2137	POLLAVADDY pGWS	PRG	154	100	
Mayo County Council	2200PRI2100	ROBEEN GWS	PRG	663	637	Chlorination
Mayo County Council	2200PRI2324	ROSSPORT GWS	PRG	200	50	Chlorination
Mayo County Council	2200PRI2103	ROY BINGHAM'S GWS	PRG	124	50	Chlorination and UV
Mayo County Council	2200PRI2105	SRAHEEN GWS (FOXFORDE)	PRG	593	300	Pressure sand filter, Ozone and GAC, Chlorination & unvalidated UV(DBO2)
Mayo County Council	2200PRI2111	TOOREEN/AGHAMORE GWS	PRG	1020	450	Chlorination and UV
Mayo County Council	2200PRI2353	TREANNAGLERAGH GWS	PRG	44	25	None